



MINIMISE YOUR COST  
PER PALLET

## A new Era in Stretch Film

- Innovative
- High Efficient
- High Performance



# The User-friendly stretch film

Zero breaks per roll during the wrapping process



**EASY  
STRETCHING**



**EASY  
UNWINDING**



**EASY  
FINDING  
OF FILM  
EDGE**



**LIGHT  
ROLL**



**DAMAGE  
PROOF EDGES**

## FOR MANUAL USE

Fiber Film Manual is ergonomically designed for Manual applications as to make the pallet wrapping process effortless offering good **load stability** at a **low cost**. Fiber Film Manual consists of three (3) product grades:



**FIBER  
FILM**  
MANUAL-HD

For **High Demanding (HD)** applications is equivalent to 23µm film or thicker.

**23µm+**



**FIBER  
FILM**  
MANUAL-GP

For **General Purpose (GP)** applications is equivalent from 18µm to 22µm film.

**18µm to 22µm**



**FIBER  
FILM**  
MANUAL-L


For **Light (L)** applications is equivalent to 17µm or thinner film.

**17µm-**

**FIBER FILM** is a unique high-efficiency stretch film with reinforcement elements (fibers) that increase Tear Resistance. This film provides excellent load stability whilst being easy to apply the fibers allow less film to be used to secure the load.

**FIBER FILM** is perfect choice of minimising your cost to wrap the pallet.

**FIBER FILM** can be used to wrap all types of loads and is suitable for both hand and machine applications. **FIBER FILM** is fully recyclable and uses less plastic to secure the load.



# The unstoppable stretch film

*Place it & Forget it!*  
Zero film breaks during the wrapping process



**EXCEPTIONAL  
LOAD CONTAINMENT**



**RELIABILITY**



**TEAR  
RESISTANCE**



**CONSISTENT  
PERFORMANCE**



**HIGH  
STRETCHABILITY**

## FOR MACHINE USE

Fiber Film for Machine Applications is especially designed either for **Semi-Automatic Wrapping Machines** or **Power Pre-Stretch Wrapping Machines**. All grades of this product family offer not only **superior pallet stability**, but also **significant cost and film savings**. Fiber Film Machine consists of four (4) product grades:



- For Semi-Automatic Wrapping Machines with Brake Tension System.




- For Power Pre-Stretch Wrapping Machines with Pre-Stretch ratio up to 180%.



- For Power Pre-Stretch Wrapping Machines with Pre-Stretch ratio up to 250%.



- For Advanced Technology Wrapping Machines with Pre-Stretch ratio up to 350%.



**Less film used to wrap a pallet up to 60%**


**Cost per pallet savings up to 40%**

**Reduced downtime**


**Reduced waste**

**RECYCLABLE  
100%**





# A new Era in Stretch Film



Industrial Area, Road A/D,  
P.O. BOX 1252, 71001  
Heraklion, Crete, Greece  
Telephone: +30 2810 381412  
Email: sales@megaplast.gr

Athens Office: 38, Vassileos  
Konstantinou Ave., 194 00  
Koropi, Attica, Greece  
Telephone: +30 210 8900081  
Email: info@megaplast.gr

[www.megaplast.gr](http://www.megaplast.gr)

Greece - UK - Germany - Italy - Spain - France - USA